

2 év garancia!



Kirloskar

Enriching Lives

## BÚVÁR KÚTSZIVATTYÚK ÁSOTT ÉS FÚRT KUTAKBA

### Hatalmas raktárkészlet!

- robusztus kialakítás
- megbízható működés
- kevésbé érzékeny az áramingadozásra
- rozsdamentes acél ház, kábelvédő sín és felső csatlakozó
- belső szűrő
- műanyag járókerekek
- egyszerűen és gyorsan szétszedhető, karbantartható
- olajhűtéses motorral szerelt
- kevésbé érzékeny a túlmelegedésre
- **150 g/m<sup>3</sup>** max homoktartalom
- 100 mm átmérő
- külső kapcsolódoboz
- NEMA standard szerinti motorcsatlakozás
- vízszintesen is telepíthető
- India legnagyobb és legrégebb szivattyúgyártójától
- kiváló ár-érték arány

### Felhasználás:

- házi vízellátás
- mezőgazdasági öntözés
- locsolás
- állattelepek vízellátása
- nyomásfokozás



**PROFILAXIS**

Forgalmazó és szerviz: Profilaxis Kft. 2049 Diósd, Vadrózsa u. 13. Tel.: 06 23 545-293, 06 23 545-393

[www.pump.hu](http://www.pump.hu)



# PROFILAXIS

Gyártó: Kirloskar Brothers (India)

Forgalmazó és szerviz: Profilaxis Kft.

Típus	Motor		Teljesítmény adatok		
	Motor kW	Motor fázis	Qmax l/perc	Hmax m	Optimális munkapont
0214	0.37	1	56	60	35l/p;39m
0221	0.55	1	56	95	35l/p;61m
0228	0.75	1	56	125	35l/p;80m
0311	0.55	1	70	65	45l/p;50m
0314	0.75	1	70	85	45l/p;60m
0318	1.1	1	70	115	45l/p;85m
0709	0.75	1	120	55	70l/p;40m
0713	1.1	1	120	80	70l/p;62m
0718	1.5	1	120	110	70l/p;86m
0722	1.9	1	120	135	70l/p;110m
1509	1.5	1	230	50	150l/p;35m
1512	2.2	3	230	67	150l/p;49m
1514	2.2	3	230	79	150l/p;57m
1519	3	3	230	105	150l/p;75m
1524	4.1	3	230	135	150l/p;97m

Motor: olajhűtéses, egyfázisú (3 vezetékes) vagy háromfázisú  
Max. homoktartalom: 150 g/m<sup>3</sup>

Garancia: 2 év

KIRLOSKAR BROTHERS LIMITED,  
DEWAS-455001 (M.P.)



Enriching Lives

PERFORMANCE CURVE OF PUMP TYPE KU4-02 SERIES


Suc. . mm

This curve relates to the liquid of S.G. - 1 and viscosity as water

Del. 32 mm

Rev. 00

2800 RPM



DRAWN BY- ANURAG KHARE  
CHECKED BY- ANURAG KHARE  
APPROVED BY- V S CHAWDA

DATE-15.04.2012  
DATE-15.04.2012  
DATE-15.04.2012

KIRLOSKAR BROTHERS LIMITED,  
DEWAS-455001 (M.P.)



Enriching Lives

PERFORMANCE CURVE OF PUMP TYPE **KU4-03 SERIES**

Suc. . mm

This curve relates to the liquid of S.G. - 1 and viscosity as water

Del. 32 mm

Rev. 00


2800 RPM

TOTAL HEAD IN METRES-H

PUMP INPUT PER STAGE IN kW

PUMP EFFICIENCY %

$Q \frac{1}{m^3}$



DATE-15.4.2012  
DATE-15.4.2012  
DATE-15.4.2012

BY- ANURAG KHARE  
BY- ANURAG KHARE  
BY- V S CHAWDA

KIRLOSKAR BROTHERS LIMITED,  
DEWAS-455001 (M.P.)



Enriching Lives

PERFORMANCE CURVE OF PUMP TYPE **KU4-07 SERIES**


Suc. . mm

This curve relates to the liquid of S.G. - 1 and viscosity as water

Del. 32 mm

Rev. 00

2800 RPM



DATE-17.04.2012  
DATE-17.04.2012  
DATE-17.04.2012

BY- ANURAG KHARE  
BY- ANURAG KHARE  
BY- V S CHAWDA

$Q$   $1/m$

KIRLOSKAR BROTHERS LIMITED,  
DEWAS-455001 (M.P.)



Enriching Lives

PERFORMANCE CURVE OF PUMP TYPE **KU4-15 SERIES**


Suc. . mm

This curve relates to the liquid of S.G. - 1 and viscosity as water

Del. 32 mm

Rev. 00

2800 RPM



DATE-17.4.2012  
DATE-17.4.2012  
DATE-17.4.2012

BY- ANURAG KHARE  
BY- ANURAG KHARE  
BY- V S CHAWDA

Q  $\frac{1}{m^3}$